

Защитные соленоидные клапаны 151

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Россия +7(495)268-04-70

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Brand: Zorgon

**Service life:
over 20 million
on/off**



**Environment
Temperature**

D Type(-40°C~80°C)

B Type(-20°C~80°C)

G Type(-15°C~150°C)





Type

**Adapt to Namur type
and pipe connection
type installation**



Solenoid valve is the core control element in a valve automation control system. Selecting a high-quality solenoid valve is a reliable and safety guarantee for whole project. Ambient temperature of the product should meet the limited temperature of the working environment. According to the corrosion and temperature of the working environment, we should select the product with the corresponding material. The protective solenoid valve and explosion-proof solenoid valve produced by our company can meet the two installation methods of NAMUR board connection and pipe connection. It has two types which is two-position five-way or three-position five-way. It can directly control single-acting and double-acting pneumatic actuators without any adapter plate assistance and is equipped with a safe and reliable manual device on the pilot. This is a real multi-function solenoid valve.



Order code

151

151 Series Solenoid Valve

1

Series Code

1:G1/8
2:G1/4
3:G3/8
4:G1/2

5

Coils and bits

3:Two-position three-way
5:Two-position five-way

1

Electronic control method

1: Dual position single electronic control
2: Dual position dual electric control
3: Three-position dual electric control

B

B: Namur type

G: Pipe connection type

F

F: flameproof type

AC220V

Standard voltage

DC 12V

DC24V

AC24V

50HZ/60HZ

AC110V 50HZ/60HZ

AC220V 50HZ/60HZ


AC380V 50HZ/60HZ

Specification


Model	151	251	351	451
Position and Way No.	Two-position Five-way	Three-position Five-way	Two-position Five-way	Three-position Five-way
Interface Diameter	G1/8	G1/4	G3/8	G1/2
Working Pressure	0.15-0.8MPa			
Max Pressure	12 Mpa			
Working Temperature	5-60°C			
Voltage Range	±15%-±10%			
Power Consumption	AC:5.5VA DC:4.8W			
Insulation and Protection class	F class.IP65/1P67			
Max Frequency	5 Cycle/Seconds			
Minimum Excitation time	<0.05 Seconds			

Dimensions


151




152




251




252




251-B




252-B




351




352




351-B




352-B



451



452



151 Series Solenoid Valve

Technical parameters of low-power explosion-proof coil

Model	151 Series F Type
Name	Aluminum alloy shell flameproof coil, 316 Stainless Steel Material
Working Voltage	12VDC/24VDC35W, 24VDC-0. 7W24/110/120/220/240VAC4VA(50/60HZ)
Voltage Fluctuation Is Allowed	±10%
Insulation Class	F grade(optional H grade)
Insulation Voltage	1000V
Load Factor	100%ED(can work continuously)
Coil Housing	Aluminum alloy
Cable Interface	1/2"NPT or M20*1. 5, 3P terminal block
Installation Method	Static iron core embedded
Weather Protection	IP65 / IP67
Hazardous Area Classification	Exd IICT6/Exd CT6
Working Temperature	-20°C~60°C / -60°C'60°C



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Россия +7(495)268-04-70

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93